

BWNC-442RECF

4MP IP IR Balleye camera, H.265(+), TrueWDR 120dB
Weißlicht LED, 2,8mm Objektiv, IP67, PoE

PRODUCT DESCRIPTION

► Application:

4MP RoyalNight++ Ball-Eye Kamera mit Weißlichtstrahler, integriertem Lautsprecher und aktiver optischer und akustischer Abschreckungsfunktion. Kameras der RoyalNight++ Serie verfügen über einen integrierten Weißlicht Scheinwerfer mit welchem sie die Nacht zum Tag werden lassen. Die BWNC-442RBCF kann so, auf bis zu 30m Entfernung, noch farbige Informationen liefern. Ideal für die Nahfeld Absicherung - mit aktiver Abschreckungsfunktion durch optische und akustische Signale. Die Kamera kann auch zum Gegensprechen mit einer Person vor Ort verwendet werden. Hierfür ist die BURGcam PRO App zu empfehlen.


► Technical specifications:

Type	IP day/night white light dome
Decoding / Video / Lens	>>>>>DECODING/VIDEO/LENS<<<<<
Sensor type	1/2.7" Progressive scan CMOS
Max. Picture resolution (pixel)	4 MP (2688x1520)
Video codec	H.264, H.264+, H.265, H.265+, MJPEG(Substream)
Max. frame rate (fps)	25 fps@4MP
Number of video streams	3 (1x Main, 2x Sub)
Lens mount	Intern
Focal length	2.8mm / F1.0
Angle of view (horizontal)	103°
Angle of view (vertical)	53°
Sensitivity (Lux)	0.003 Lux @ F1.0 (color)
Sensitivity (Lux)	0Lux (white light on)
IR cut filter	IR-Cut filter (mechanical)
MOD (minimum object distance)	1,3m

BURG-GUARD GmbH
Wormgermühle, 58540 Meinerzhagen, Germany
Tel.: +49 2358 905 490, Fax: +49 2358 905 499
BURG-GUARD@burg.biz, www.burg-guard.com



Our products undergo constant development. Please refer to the price list for our most up-to-date product program. Errors and omissions excluded. No responsibility accepted for accuracy of images.



► Recommended Accessories

SNPS-12D2	SANTEC stabilized power supply 12 V DC, 1.5 A, plug
SNCA-CMT-4852	Ceiling Mount for SANTEC IP Speed-Dome
SNCA-PM-4661	Mastadapter inkl. Spannbänder von 80 bis 130 mm
SNCA-WM-4645	Wall bracket for IP cameras
SANSWITCH-10430	4-Port ePoE Switch For transmission over 800m
BWNET-10120	1-Kanal 30W PoE Netzteil 56V 30W Gigabit Active POE injector
SNCA-MK-4631	Adapter / mounting kit for SNC-211FDIA and SNC-231RZNA
SNCA-MK-106	Adapter plate Please see accessory selection